











the section drawing	size(mm)				weight
	A	B	C	D	kg/m
Angle	50	50	6		1.10
	60	60	8		1.66
	80	80	8		2.37
	87	30	3.25		3.25
	100	100	10		3.75
	150	45	6.5		2.17
	300	160	6		5.07
	Square tube	40	40	5	5
	50	50	3.2	3.2	1.07
	50	50	4	4	1.35
	50	50	4.8	4.8	1.53
	50	50	5	5	1.67
	50	50	6.35	6.35	1.99
	58	25	3	3	0.86
	60	30	3.5	3.5	1.05
	60	60	4.6	4.6	1.77
	64.2	27	4.2	2	0.82
	72	28	3.75	2.25	0.99
	80	50	5	5	2.20
	85	35	4	4	1.64
	100	100	5	5	3.36
	100	100	8	8	5.40
	110	80	5	5	3.33
	120	60	5	5	3.12
	125	50	4	4	2.57
	125	89	4	3	2.71
	135	35	4	4	2.38
	135	135	8	8	7.50
	140	100	5	3	3.38
	200	70	4	4	3.86
200	35	4	4	3.34	
350	250	6	6	12.00	

the section drawing	size (mm)				weight
	A	B	C	D	kg/m
Channel	34	70	6		1.8
	38.1	24	3		0.44
	48.5	30	3		0.567
	50	22	3		0.93
	60	45	4.5		1.12
	80	29.8	3		0.73
	82	28	3		0.67
	87	30	5.3		1.03
	110	25	2.8		0.77
	120	50	6		2.33
	152.4	42	10		4.02
	180	30	4.8		1.94
	200	50	10		5.08
	330	25	3.5		2.31
	450	25	3.5		3.28
	I-beam	25	30	3.6	2.6
	30	40	3.6	2.6	0.56
	60	120	6	6	2.54
	75	150	8	8	4.25
	81	28	2.8	2.8	0.64
	100	100	8	8	4.23
	80	160	8	8	4.54
	100	200	10	10	7.11
	Round tube	20	15	2.5	
	25.4	19	3.2		0.37
	25.4	15	5.2		0.60
	30	22	4		0.58
	32	28	2		0.35
	40	34	3		0.64
	41	34	3.5		0.74
	45	37	4		0.94
	50	43.6	3.3		0.91
	50	40	5		1.31
	71	64.4	3.3		1.53
	60.3	52.3	4		1.32

the section drawing	size (mm)				weight
	A	B	C	D	kg/m
Rod	9.5				0.13
	15.7				0.38
	18				0.51
	20				0.62
	25.4				0.95
six aris rod 	16	14			0.34
square tube 	12	8			0.19
	18	7			0.24
Plate 	10	3			0.054
	12	3			0.065
	15	3			0.082
	32	4.8			0.28
	40	10			0.73
	63.5	6.4			0.70
	76	6.4			0.95
100	3			0.56	
Ibeam for pultuded grating 	25.4	15	3.6		0.39
	38.1	15	4.2		0.59
	50	25	4.2		1.03
	58	15	4.2		0.68